Zoning Interface: Districts and Forms for Sioux Falls Zoning Ordinance

	For more information about ea	ich form, click on the associated link.
	Primary Forms	Other Allowable Forms
Single-Family Residential Districts		
RR Single-Family Residential—Rural	DD1	UT1 UT2
RS Single-Family Residential—Suburban	DD2	NF1 UT1
RT-1 Single-Family Residential—Traditional	DD3	NF1 UT1
RCD Residential Cluster Development PUD	DD7	NF1 UT1
RHP Single-Family Residential—Historic Preservation	DD4	
MH Manufactured Residential Housing	DD6	DD2 DD5 NF1 UT1
Twin and Townhome Residential Districts		
RD-1 Twin Home/Duplex Residential—Suburban	AD1	DD2 AD2 NF1 UT1
RD-2 Townhome Residential—Suburban	AD3	DD2 AD1 AD2 NF1 NF2 UT1
RT-2 Townhome Residential—Traditional	AD4	DD3 NF1 NF2 UT1
Apartment Residential Districts		
RA-1 Apartment Residential—Low Density	MD1	DD2 AD1 AD2 AD3 NF1 NF2 UT1 UT2
RA-2 Apartment Residential—Moderate Density	MD2	AD1 AD2 AD3 MD1 NF1 NF2 UT1 UT2
RA-3 Apartment Residential—High Density	MD3	MD1 MD2 NF1 NF2 UT1 UT2
Office/Institutional Districts		
O Office	BCF1	NF1 NF2 UT1 UT2 RE1
S-1 General Institutional	BCF2 BCF3	NF1 NF2 UT1 UT2 BCF1 RE1
S-2 Institutional Campus PUD	BCF3	AD1 AD2 AD3 AD4 MD1 MD2 NF1 NF2 UT1 UT2
		BCF1 BCF2 RE1 RE2 RE3
LW Live-Work	BCF1 MD2	AD1 AD2 AD3 MD1 NF1 NF2 UT1 UT2 RE1 BCF3
Commercial Districts		
C-1 Commercial—Pedestrian-Oriented	RE1	UT1 UT2
C-2 Commercial—Neighborhood and Streetcar	RE2 RE3	UT1 UT2
C-3 Commercial—Community	RE4	UT1 UT2 RE3
C-4 Commercial—Regional	RE5	UT1 UT2 RE3 RE4
Industrial Districts		
I-1 Light Industrial	WM1	UT1 UT2 BCF1 BCF2 BCF3 RE3
I-2 Heavy Industrial	WM2 WM3	UT1 UT2 BCF1 BCF2 BCF3 RE1 WM1
AP Airport	WM4	UT1 UT2
Open Space Districts		
CN Conservation	OPEN1	UT1 UT2 BCF4
REC Recreation	OPEN2	UT1 UT2 BCF4
AG Agriculture	OPEN3	UT1 UT2 WM3
Mixed-Use Districts		
Village PUD	RE6	UT1 UT2
Downtown PUD	RE6	UT1 UT2
		forms—a mix of forms are integral within a initial development plan.
Pedestrian-Oriented PUD	AD2 AD3 AD4 I	MD1 MD2 MD3 NF1 NF2 BCF1 UT1 UT2 RE2 RE3 RE4 RE5

Pedestrian-Oriented PUD

MD1	MD2	MD3	NF1	NF2	BCF1	UT1	UT2	RE2

Type of Forms			
Detached Dwellings	DD	Primary form in Single-Family Districts	
Attached Dwellings	AD	Primary form in Twin and Townhome Districts	
Multiple Dwellings	MD	Primary form in Apartment Residential Districts	
Neighborhood Facilities	NF	Found in Residential, Commercial, Office/Institutional Districts	1
Business and Community Facilities	BCF	Primary form in Office/Institutional Districts—also Industrial Districts	
Retail Employment	RE	Primary form in Commercial Districts	For additional information see below.
Warehousing and Manufacturing	WM	Primary form in Industrial Districts	Form Descriptions
Open Space	OPEN	Primary form in Open Space Districts	Zoning Interface: Uses and Forms
Utilities	UT	UT1 found in all districts; UT2 found in all districts except	Zoning internace. Oses and rorms
		single-family, twin/townhome, and Airport	l

1

Form Descriptions

DD1—Detached Dwelling—Rural	Single-Family 1 acre lots
DD2—Detached Dwelling—Suburban	Single-Family 25-foot front yard
DD3—Detached Dwelling—Traditional	Single-Family 10-foot front yard
DD4—Detached Dwelling—Historic Preservation	Single-Family maintain existing structure
DD5—Detached Dwelling—Older Manufactured Home	Manufactured Homes in Pre-1970 Existing Parks
DD6—Detached Dwelling—Newer Manufactured Home	Manufactured Homes in Newer Parks
DD7—Detached Dwelling—High Density	Single-Family 5-foot front yd/0 foot side yd
AD1—Attached Dwelling—Suburban Twin Home/Duplex	Twin Home/Duplex—2 units—25-foot front yard
AD2—Attached Dwelling—Suburban 4-unit Townhome	Townhome—4 units—25-foot front yard
AD3—Attached Dwelling—Suburban 8-unit Townhome	Townhome—8 units—25-foot front yard
AD4—Attached Dwelling—Traditional 8-unit Townhome	Townhome—8 units—10-foot front yard
MD1—Multiple Dwelling—Small	Multi-Family—24 units/2 stories
MD2—Multiple Dwelling—Medium	Multi-Family—48 units/3 stories
MD3—Multiple Dwelling—Large	Multi-Family—unlimited
NF1—Neighborhood Facilities	Elementary Schools, Places of Worship, Public Service Facility, Recreation Facility—Subdivision
NF2—Neighborhood Residential Facilities	Community Residential Home, Assisted Living Center, Nursing Home
UT1—Basic Utilities	Neighborhood Utilities, Electrical Substation, Antenna Support Structure
UT2—Tower Utilities	Telecommunications Tower, Broadcast Tower, Wind Energy Tower
OPEN1—Conservation Open Space	Forest Preserve, Tree Farm, Golf Course, Cemeteries, Pet Cemetery, Natural Drainage Facility,
of Ext-conservation open space	Nature Preserve, Community Garden
OPEN2—Recreation Open Space	Public Parks and Recreation Areas, Archery Range
OPEN3—Agriculture Open Space	Agriculture, Single-Family—Farm
BCF1—Business and Community Facilities—Small	1 story 15,000 sq ft/2 stories 30,000 sq ft—Office, Colleges, Public Service Facility, Residential- compatible storage, Multi-Family Above First Floor, Live-Work, Private Rec & Cultural Facility, Funeral home, Mortuary, Middle/High School, Day Care Center, Places of Worship
BCF2—Business and Community Facilities—Community Service	1 story 15,000 sq ft/2 stories 30,000 sq ft—Halfway House, Temporary Emergency Shelter, Human Service Facility, Detention
BCF3—Business and Community Facilities—Large	No Limit on size—Office, Hospital, College, Research Facility, Private Rec. & Cultural Fac., Places of Worship, Public Service Facility
BCF4—Business and Communities—Open Space	15,000 sq ft 1 story/30,000 sq ft 2 story—Country Club, Public Recreation & Cultural Facility, Fairgrounds
RE1—Limited Retail Employment	4,000 sq ft—Limited Retail and Services, Office, Private Recreation and Cultural Facility, Places of Worship
RE2—Streetcar Retail Employment	Buildings Oriented to Street; 25,000 sq ft—General Retail and Services, Office, Places of Worship, Residential above First floor, Automobile Retail and Services, On-Sale Alcohol, Public Service Facility, Private Recreation, Restaurant with Accessory Alcohol, Off-Sale Alcohol, Funeral Home, Mortuary, Kennel, Day Care Center
RE3—Parking-Oriented Retail Employment	25,000 sq ft and parking lot oriented to street—General Retail and Services, Office, Places of Worship, Residential above First floor, Automobile Retail and Services, On-Sale Alcohol, Public Service Facility, Private Recreation, Restaurant with Accessory Alcohol, Off-Sale Alcohol, Funeral Home, Mortuary, Kennel, Day Care Center, Adult Uses
RE4—Community Retail Employment	75,000 sq ft—Same uses listed as RE2
RE5—Regional Retail Employment	Unlimited size—Same uses listed as RE2
RE6—Village Mixed-Use	Unlimited size/0 foot setbacks—General Retail and Services, Office, Private Rec & Cultural, Restaurant with Accessory Alcohol, On-Sale and Off-Sale Alcohol, Adult Use, Funeral Home & Mortuary, Day Care Center, Residential (core vs transition—see below), Places of Worship, College, Assisted Living, Public Service, Temp/Emergency Shelter, Human Service Center
WM1—Warehousing and Manufacturing—Light	Light Manufacturing, Process, and Assembly, Light Warehouse and Freight Movement, Crematory
WM2—Warehousing and Manufacturing—Heavy	Heavy Manufacturing, Process, and Assembly, Heavy Warehouse and Freight Movement
WM3—Warehousing and Manufacturing—Mining and Waste	Sanitary Landfill, Water & Wastewater Plant, Quarry Mining & Exploration
WM4—Warehousing and Manufacturing—Airport Facilities	Airport Facilities, Air Passenger Terminal, Air National Guard

Zoning Interface: Uses and Forms for the Sioux Falls Zoning Ordinance

Single-Family	DD1	DD2	DD3	DD4	DD7						
Manufactured Home	DD5	DD6									
Townhouse—2	AD1	AD4									
Townhouse—3 to 4 Units	AD2										
Townhouse—5 to 8 Units	AD3	AD4									
Dwelling Converted Single Family 2 to 8 Units	AD4										
Multifamily	MD1	MD2	MD3								
Elementary Schools	NF1	BCF1	BCF3								
Place of Worship	NF1	BCF1	BCF3	RE1	RE2	RE3	RE4	RE5	RE6		
Public Service Facility	NF1	BCF1	BCF3	RE2	RE3	RE4	RE5	RE6			
Office	BCF1	BCF3	RE1	RE2	RE3	RE4	RE5	RE6			
Colleges, University, or Post High School	BCF1	BCF3	RE2	RE3	RE4	RE5	RE6				
Dwellings Above the First Story	BCF1	BCF3	RE2	RE3	RE4	RE5	RE6				
Recreation Facility, Private	BCF1	BCF3	RE2	RE3	RE4	RE5	RE6				
Cultural Facility	BCF1	BCF3	RE2	RE3	RE4	RE5	RE6	OPEN2			
Funeral Establishment	BCF1	BCF3	RE2	RE3	RE4	RE5	RE6	OPEN1			
Mortuary	BCF1	BCF3	RE2	RE3	RE4	RE5	RE6	OPEN1			
Middle/High School	BCF1	BCF3									
Day Care Center	BCF1	RE2	RE3	RE4	RE5	RE6					
							Neig	nborhood	l Utilitie	s	
Neighborhood Park	NF1							rical Subs			
Recreational Facility, Subdivision	NF1						Antei	nna Supp	ort Stru	cture	
Community Residential Home	NF2							nunity Ga			
Assisted Living	NF2							ommunic		ower	
Nursing Home	NF2						Broad	lcast Tow	er		
							Wind	Energy T	ower		
Tree Farm/Nursery	OPEN1							r Tower			
Golf Course	OPEN2										
Cemeteries	OPEN1							ompatibl	e Self-St	orage	
Pet Cemetery	OPEN1						rch Faci				
Natural Drainage Facility	OPEN1					Halfw	ay Hou	ie 👘			
Nature Preserve	OPEN1					Temp	orary Er	nergency	Shelter	Halfway I	Hou
Public Parks	OPEN2					Huma	n Servi	ce Facility	/		
Public Recreation Facility	OPEN2					Deter	ition Fa	cility			
Archery Range	OPEN2					Hospi	tal				
Agriculture	OPEN3					Public	c Assem	bly Facili	ty		
Detached Dwelling—Farm	OPEN3					Hotel	/Motel ¹				
						Club I	louse				
	054					Fairg	ounds				
Limited Retail and Services	RE1					Public	c Recrea	tion and	Cultural	Facility	
General Retail and Services	RE2	RE3	RE4	RE5	RE6						
Commercial Parking Lot	RE6	0.50		0.55		-				l Assembly	
Motor Vehicle Retail and Services	RE2	RE3	RE4	RE5	054	-		se and Fre	ight Mov	ement	
On-Sale Alcohol	RE2	RE3	RE4	RE5	RE6		ground				
Full-Service Restaurant	RE2	RE3	RE4	RE5	RE6	Crema					
Off-Sale Alcohol	RE2	RE3	RE4	RE5	RE6					d Assembl	У
Kennel	RE2	RE3						use and Fr	- -		
Adult Uses	RE3	RE4	RE5	RE6			1			Water Pla	nt
Self-Storage Facility	RE3	RE4	RE5	RE6		Quarry	y, Mining	, and Expl	oration o	of Minerals	
Live-Work Units Residential On First Floor (Assisted Living)	RE6 RE6						t Faciliti ssenger 1				

UT1 UT1 UT1 UT1 UT2 UT2 UT2 UT2

BCF3 BCF3

RE6

RE6

RE3

BCF1

BCF1 BCF2 BCF2

BCF2 BCF2 BCF3 BCF3 BCF3 BCF4 BCF4 BCF4

WM1 WM1


WM1 **WM1** WM2 WM2 WM3 WM3 WM4 WM4

WM4

use

Zoning Form: DD1—Detached Dwelling—Rural (160.060 et al.)

	Allowed Zoning	Districts (R	R)
Principal Use: (160.062)	Permitted: Dwelling, Single-family Detached	Accessory Use: (160.063)	Permitted Special: Home Occupations • Family Day Care • Stable Accessory Dwelling Units—Attached and Detached Residential Accessory Buildings Conditional Use: Bed and Breakfast
		Scr	oll to the top to find more information in the Zoning Interface.
Front Yard: Side Yard: Rear Yard:			



Other Applicable Regulations (For complete information, see §§ 160.460 to 160.603)

Buffer Yard: 10 ft total adjacent to highways (160.488)

Signage: 1 sq ft wall sign (<u>160.570</u> et al.)

Parking: 2 on-site spaces (<u>160.550</u> et al.)

Landscaping: 90% of all required front yard setbacks and buffer yards (<u>160.485</u> et al.)

Fence: 6 ft allowed except in front yard (<u>160.480</u> et al.)

Alternative Site Plans: Allowed for buffer yard and landscaping alternatives (160.594 et al.)

Zoning Form: DD2—Detached Dwelling—Suburban (160.070 et al.)

Allowed Zoning Districts (RS, RD-1, RD-2, RA-1, MH)

Principal Use: Permitted: (160 072) Dwelling, Single-

Dwelling, Single-family Detached

Accessory Use: Permitted Special:

Home Occupations • Family Day Care Accessory Dwelling Units—Detached Residential Accessory Buildings **Conditional Use:** Bed and Breakfast


Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations

See 160.074 for complete info

See <u>160.505</u> et al. "Additional Yard Regulations" for more info					
Front Yard:	25 ft Required front yard may be 20 ft on corners				
Side Yard:	5 ft				
Rear Yard:	25 ft 15 ft on corner lots				
Lot Frontage:	50 ft 65 ft on corner lots				
Height:	35 ft				
Lot Size:	5,000 sq ft minimum				





Other Applicable Regulations (For complete information, see §§ 160.460 to 160.603)

Buffer Yard: 10 ft total adjacent to highways (160.488)

Signage: 1 sq ft wall sign (<u>160.570</u> et al.)

Parking: 2 on-site spaces (<u>160.550</u> et al.)

Landscaping: 90% of all required front yard setbacks and buffer yards (<u>160.485</u> et al.)

Fence: 6 ft allowed except in front yard (<u>160.480</u> et al.)

Zoning Form: DD3—Detached Dwelling—Traditional (160.080 et al.)

Allowed Zoning Districts (RT-1, RT-2)

Principal Use: **Permitted:**

Dwelling, Single-family Detached


Accessory Use: Permitted Special:


Home Occupations • Family Day Care Accessory Dwelling Units—Detached **Residential Accessory Buildings Conditional Use:** Bed and Breakfast

Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations

Front Yard:	20 ft 10 ft when front entry garage is recessed 10 more ft On a corner lot, the two front yards must equal 30 ft
Side Yard:	5 ft One side yard may be reduced to 2 ft by Board of Adjustment (160.672)
Rear Yard:	10 ft
Lot Frontage:	25 ft
Height:	35 ft





Back Driveway Example—Driveway must come off alley to garage.

Front Driveway Example—Must have recessed garage.

Other Applicable Regulations (For complete information, see §§ 160.460 to 160.603)

Buffer Yard: 10 ft total adjacent to highways (160.488)

Signage: 1 sq ft wall sign (<u>160.570</u> et al.) Parking: 2 on-site spaces (160.550 et al.)

Landscaping: 90% of all required front yard setbacks and buffer yards (<u>160.485</u> et al.) Fence: 6 ft allowed except in front yard (160.480 et al.)

Alternative Site Plans: For buffer yard and landscaping (160.594 et al.)



Zoning Form: DD4—Detached Dwelling—Historic Preservation (160.090 et al.)

Allowed Zoning Districts (RHP)

Principal Use: **Permitted:** Dwelling, Single-family Detached

Accessory Use: Permitted Special:


Home Occupations • Family Day Care Accessory Dwelling Units—Detached **Residential Accessory Buildings Conditional Use:** Bed and Breakfast


Scroll to the top to find more information in the Zoning Interface.


Bulk Regulations

Before building into any yard beyond the existing footprint, the owner must first adhere to the standards of 160.090 et a

Front Yard: 20 ft 10 ft when front entry garage is recessed 10 more ft On a corner lot, the two front yards must equal 30 ft Side Yard: 5 ft One side yard may be reduced to 2 ft in certain circumstances (160.672) Rear Yard: 10 ft Lot Frontage: 25 ft 35 ft Height:







Back Driveway Example—Driveway must come off alley to garage.

Front Driveway Example—Must have recessed garage.

Other Applicable Regulations (For complete information, see §§ 160.460 to 160.603)

Buffer Yard: 10 ft total adjacent to highways (160.488) Signage: 1 sq ft wall sign (<u>160.570</u> et al.)

Parking: 2 on-site spaces (160.550 et al.)

Landscaping: 90% of all required front yard setbacks and buffer yards (160.485 et al.) **Fence:** 6 ft allowed except in front yard (160.480 et al.)

Alternative Site Plans: For buffer yard and landscaping (160.594 et al.)



Zoning Form: DD5—Detached Dwelling—Older Manufactured Home (160.100 et al.)

Allowed Zoning Districts (MH)

Principal Use: (160.102)

Permitted: Manufactured Home Permitted Special: Licensed Manufactured Home Park before 1970 Accessory Use: Permitted Special: (160.103) Home Occupations Pacidantial Accessor

Home Occupations • Family Day Care Residential Accessory Building


Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations

See 160.104 for complete bulk regulations

See <u>160.505</u> et al. "Additional Yard Regulations" for more inf

file.	lished before 1950 shall maintain yards the same as the park layout plan on
Distance Between:	16 ft except the distance between homes can be 10 ft when it meets the angles per the spacing chart below
Height: Yard	35 ft
Exceptions:	(See Chart A below)*



*Older Manufactured Home Park Spacing Chart (Chart A)

Other Applicable Regu	lations (For complete information, see §§ 160.460 to 160.603)
Buffer Yard:	15 ft at edge of park adjacent to DD1, DD2, DD3, and DD4
	10 ft at edge of park adjacent to highways (<u>160.488</u>)
Signage:	1 sq ft wall sign (<u>160.570</u> et al.)
Parking:	2 on-site spaces (<u>160.550</u> et al.)
Landscaping:	90% of all required front yard setbacks and buffer yards (<u>160.485</u> et al.)
Fence:	6 ft allowed except in front yard (<u>160.480</u> et al.)
Alternative Site Plans:	Allowed for buffer yard and landscaping alternatives (<u>160.594</u> et al.)

Zoning Form: DD6—Detached Dwelling—Newer Manufactured Home (160.110 et al.)

Allowed Zoning Districts (MH)

	Allowed Zoning		VIII)
Principal Use: (160.112)	Permitted: Manufactured Home Permitted Special: Licensed Manufactured Home Park *Permissible Spacing for Licensed Manufactured Home Parks Established after March 26, 1970.	Accessory Use (160.113)	e: Permitted Special: Home Occupations • Family Day Care Residential Accessory Buildings
		Sc	roll to the top to find more information in the Zoning Interface.
Bulk Regula	ations		
See <u>160.114</u> for	r complete bulk regulations		
	al. "Additional Yard Regulations" for more info		
Front Yard:	15 ft to street 20 ft to street for garages		
Side Yard:	20 ft between homes		
Rear Yard:	20 ft between homes		60' 75'
Height:	35 ft		45' '''''''''''''''''''''''''''''''''''
Yard Exceptions:	Garage, canopy, accessory building over 200 sq ft or carport 10 ft to home (see Chart B below)		15 15
Deck:	4 ft from any manufactured home and enclosed vestibule accessor under 200 sq ft	y bldg	
	<image/>		20' min 4' min. deck deck deck deck deck 10' min. 5TREET 10' min. 60' 60' 60'

*Manufactured Home Park Spacing Chart (Chart B)

Other Applicable Regulations (For complete information, see §§ 160.460 to 160.603)

Buffer Yard: 30 ft at edge of park adjacent to DD1, DD2, DD3, and DD4

10 ft at edge of park adjacent to highways (<u>160.488</u>)

Signage: 1 sq ft wall sign (<u>160.570</u> et al.)

Parking: 2 on-site spaces (160.550 et al.)

Landscaping: 90% of all required front yard setbacks and buffer yards (<u>160.485</u> et al.)

Fence: 6 ft allowed except in front yard (<u>160.480</u> et al.)

Zoning Form: DD7—Detached Dwelling— High Density (160.120 et al.)

Allowed Zoning Districts (RCD Residential Cluster Development PUD)

Principal Use: Permitted: (160.122) Dwelling, Single-family Detached

Accessory Use: Permitted Special:

(<u>160.123</u>)


Home Occupations • Family Day Care • Off-Site Parking Accessory Dwelling Units • Residential Accessory Buildings **Conditional Use:** Bed and Breakfast

Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations

See <u>160.124</u> for complete bulk regulations

See <u>160.505</u> et	al. "Additional Yard Regulations" for more info
Front Yard:	10 ft average—20 ft available with driveway
Side Yard:	0 ft on one side—5 ft on opposite side
Rear Yard:	10 ft average—20 ft with driveway
Height:	35 ft
Lot Frontage:	25 ft



Interlot Option

Z-lot Option



Other Applicable Regulations (For complete information, see §§ 160.460 to 160.603)

Buffer Yard: 10 ft total adjacent to highways

15 ft total adjacent to DD1, DD2, DD3, and DD4 (160.488)

Signage: 1 sq ft wall sign (<u>160.570</u> et al.)

Parking: 2 on-site spaces (160.550 et al.)

Landscaping: 90% of all required front yard setbacks and buffer yards (<u>160.485</u> et al.) **Fence:** 6 ft allowed except in front yard (<u>160.480</u> et al.)



Zoning Form: AD1—Attached Dwelling—Suburban Twin Home/Duplex (160.130 et al.)

Allowed Zoning Districts (RD-1, RD-2, RA-1, RA-2, S-3, LW)

Principal Use: Permitted: (160.132) Dwelling, Twin Home/Duplex Accessory Use: Permitted Special: (160.133) Home Occupations Posidontial Accessor

Home Occupations • Family Day Care • Off-Site Parking Residential Accessory Buildings

Scroll to the top to find more information in the Zoning Interface.


Bulk Regulations

See 160.134 for all bulk regulations

See <u>160.505</u> et al. "Additional Yard Regulations" for more info	
Front Yard:	25 ft Required front yard may be 20 ft on corners
Side Yard:	5 ft On nonparty wall side
Rear Yard:	25 ft 15 ft on corners
Height:	35 ft
Lot Frontage:	25 ft







Other Applicable Regulations (For complete information, see §§ 160.460 to 160.603)

Buffer Yard: 10 ft total adjacent to designated highways (160.488)

Signage: 1 sq ft wall sign (<u>160.570</u> et al.)

Parking: 2 on-site spaces (160.550 et al.)

Landscaping: 90% of all required front yard setbacks and buffer yards (<u>160.485</u> et al.)

Fence: 6 ft allowed except in front yard (<u>160.480</u> et al.)

Zoning Form: AD2—Attached Dwelling—Suburban 4-Unit Townhome (160.140 et al.)

Allowed Zoning Districts (RD-1, RD-2, RA-1, RA-2, LW, S-2, PO-PUD)

Principal Use:

Permitted: Dwelling, Townhouse 3-4 units in RD-1 Districts **Permitted Special:** Dwelling, Townhouse 3-4 units in RD-2, RA-1, RA-2, LW, S-2,

Accessory Use: Permitted Special: Home Occupation • Family Day Care • Off-Site Parking

Residential Accessory Buildings

Scroll to the top to find more information in the Zoning Interface.


Bulk Regulations

Front Varde	25 ft 20 ft on corners	
See <u>160.505</u>	t al. "Additional Yard Regulations" for more	

FIOIIC Iaru.	25 It 20 It off comers
Side Yard:	7 ft on the non party wall side
	0 ft on the party wall side
Rear Yard:	25 ft 15 ft on corners
Height:	35 ft
Lot Frontage:	16 ft
Unit Limit:	3–4 units per structure

and PO-PUD





Other Applicable Regulations (For complete information, see §§ 160.460 to 160.603)

Buffer Yard: 10 ft total adjacent to highways (<u>160.488</u>)

Signage: 1 sq ft wall sign (<u>160.570</u> et al.)

Parking: 2 on-site spaces per unit (<u>160.550</u> et al.)

Landscaping: 90% of all required front yard setbacks and buffer yards (<u>160.485</u> et al.) Fence: 6 ft allowed except in front yard (<u>160.480</u> et al.)



Zoning Form: AD3—Attached Dwelling—Suburban 8-Unit Townhome (160.150 et al.)

Allowed Zoning Districts (RD-2, RA-1, RA-2, LW, S-2, PO-PUD)

Principal Use: Permitted: (160,152) Dwelling Townhome 5–8 attached units

Accessory Use: Permitted Special: (160.153) Home Occupations


Home Occupations • Family Day Care • Off-Site Parking Residential Accessory Buildings

Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations See 160.154 for all bulk regulations See 160.505 et al. "Additional Yard Regulations" for more info Front Yard: 25 ft On corners, one front yard can be 15 ft Side Yard: 7 ft on the non party wall side 0 ft on the party wall side Rear Yard: 25 ft 15 ft on corners Height: 35 ft Lot Frontage: 16 ft Unit Limit: 5-8 attached units per structure







Other Applicable Regulations (For complete information, see §§ 160.460 to 160.603)

Buffer Yard: 10 ft total adjacent to DD1, DD2, DD3, and DD4 10 ft total adjacent to highways (160.488)

Signage: 1 sq ft wall sign (160.570 et al.)

Parking: 2 on-site spaces per unit (<u>160.550</u> et al.)

Landscaping: 90% of all required front yard setbacks and buffer yards (<u>160.485</u> et al.) **Fence:** 6 ft allowed except in front yard (160.480 et al.)

ive Site Dianes. Allowed for buffer yourd and londerening alternatives (10

Zoning Form: AD4—Attached Dwelling—Traditional 8-Unit Townhome (160.160 et al.)

Allowed Zoning Districts (RT-2, S-2, PO-PUD)

Principal Use: (160.162)

Permitted:

Dwelling, Twinhome/Duplex Dwelling, Townhome 3–8 units Dwelling, Converted Single-Family 2–8 units

Accessory Use: Permitted Special:


(<u>160.163</u>) Home (Resider

Home Occupations • Family Day Care • Off-Site Parking Residential Accessory Buildings

Scroll to the top to find more information in the Zoning Interface.

Bulk Regula	Bulk Regulations		
See <u>160.164</u> for	See <u>160.164</u> for all bulk regulations		
See <u>160.505</u> et	al. "Additional Yard Regulations" for more info		
Front Yard:	20 ft May reduce to 10 ft when garage is recessed 10 ft back from front of house		
Side Yard:	5 ft on the non party wall side		
Rear Yard:	10 ft		
Height:	35 ft		
Lot Frontage:	N/A		
Unit Limit:	No more than 8 units per structure		





Other Applicable Regulations (For complete information, see §§ 160.460 to 160.603)

 Buffer Yard:
 10 ft adjacent to DD1, DD2, DD3, and DD4

 10 ft adjacent to a highway (160.488)

 Signage:
 1 sq ft wall sign (160.570 et al.)

 Parking:
 2 on-site spaces per unit (160.550 et al.)

 Landscaping:
 90% of all required front yard setbacks and buffer yards (160.485 et al.)

 Fence:
 6 ft allowed except in front yard (160.480 et al.)

 Alternative Site Plans:
 Allowed for buffer yard and landscaping (160.594 et al.)

Zoning Form: MD1—Multiple Dwelling—Small (160.170 et al.)

Allowed Zoning Districts (RA-1, RA-2, RA-2, LW, S-2, PO-PUD)

Principal Use:


Permitted: Dwelling, Multiple Family Accessory Use: Permitted Special:


Home Occupations • Family Day Care • Off-Site Parking **Residential Accessory Buildings**

Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations

See <u>160.505</u> et al. "Additional Yard Regulations" for more info	
Front Yard: 25 ft On corners, one can be 20 ft	
	15 ft if provide open space with Alternative Site Plan (<u>160.598</u>)
Side Yard:	10 ft
Rear Yard:	10 ft
Height:	2 stories and 35 ft
Lot Frontage:	25 ft
Unit Limit:	No more than 24 units per structure





Other Applicable Regulations (For complete information, see §§ 160.460 to 160.603) Buffer Yard: 10 ft total adjacent to DD1, DD2, DD3, and DD4

Signage: 50 sq ft for wall or freestanding not to exceed 6 ft in height (160.570 et al.)

Parking: 1.5 spaces for 2 bedroom

2 spaces for 3+ bedrooms

0.75 spaces per unit for elderly (<u>160.550</u> et al.)

Landscaping: 90% of all required front (and for all others) yard setbacks and buffer yards (160.485 et al.)

Parking Lot Landscaping: 1 tree per 18 parking spaces (160.485)

Fence: Up to 4 ft fence allowed in front yard and up to 8 ft fence in other yards (<u>160.480</u> et al.) Fences are in some cases required with buffer yards or outdoor screening

Zoning Form: MD2—Multiple Dwelling—Medium (160.180 et al.)

Allowed Zoning Districts (RA-2, RA-3, LW, S-2, PO-PUD)

Principal Use: Permitted: (160.162) Dwelling, N

Dwelling, Multiple-family

Accessory Use: Permitted Special:


<u>60.163</u>) Res

Home Occupations • Family Day Care • Off-Site Parking Residential Accessory Buildings

Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations

See <u>160.164</u> for all bulk regulations		
See <u>160.505</u> et	See <u>160.505</u> et al. "Additional Yard Regulations" for more info	
Front Yard:	25 ft On corners, one can be 20 ft	
	15 ft if provide open space with Alternative Site Plan (160.598)	
Side Yard:	10 ft 5 ft if provide open space with Alternative Site Plan (160.598)	
Rear Yard:	10 ft 5 ft if provide open space with Alternative Site Plan (160.598)	
Height:	3 stories and 45 ft	
Lot Frontage:	25 ft	
Unit Limit:	No more than 48 units per structure	





Other Applicable Regu	nations (For complete mormation, see 39 100.400 to 100.005)
Buffer Yard:	15 ft total adjacent to DD1, DD2, DD3, and DD4
	10 ft total adjacent to DD5, DD6, DD7, AD1, AD2, AD3, AD4, and Greenway (160.488)
Buffer Reduction:	(<u>160.488</u>)
Signage:	50 sq ft for wall or freestanding not to exceed 6 ft in height (<u>160.570</u> et al.)
Parking:	1.5 spaces for 2 bedroom
	2 spaces for 3+ bedrooms
	0.75 spaces per unit for elderly (<u>160.550</u> et al.)
Landscaping:	90% of all required front yard setbacks and buffer yards (<u>160.485</u> et al.)
Parking Lot Landscaping:	1 tree per 18 parking spaces (160.485)
Fence:	Up to 4 ft fence allowed in front yard and up to 8 ft fence in other yards (<u>160.480</u> et al.)
	Fences are in some cases required with buffer yards or outdoor screening
Lighting:	Within 150 ft of residential areas, lights shall be no more than 28 ft high (<u>160.491</u>)
Alternative Site Plans:	Allowed for common open space, buffer yard reduction, landscaping alternatives, and parking reduction (160.594 et al.)

Zoning Form: MD3—Multiple Dwelling—Large (160.190 et al.)

Allowed Zoning Districts (RA-3)

Principal Use:

Permitted: Dwelling, Multiple-family Accessory Use: Permitted Special:

Home Occupations • Family Day Care • Off-Site Parking Residential Accessory Buildings

Scroll to the top to find more information in the Zoning Interface.

Bulk Regula	tions	
See <u>160.194</u> for	all bulk regulations	
See <u>160.505</u> et	al. "Additional Yard Regulations" for more info	
Front Yard:	25 ft 15 ft if with common open space with Alternative Site Plan (160.598)	
Side Yard:	10 ft 5 ft if with common open space with Alternative Site Plan (160.598)	
Rear Yard:	10 ft 5 ft if with common open space with Alternative Site Plan (160.598)	
Height:	No limit except no more than 3 stories adjacent to DD and AD forms 1 additional ft of setback for every 2 ft of height above 55 ft in height to 20 ft additional setback max	
Lot Frontage:	25 ft	
Unit Limit:	No limit other than fire and building codes	
		DD1 - DD4



Other Applicable Regu	lations (For complete information, see §§ 160.460 to 160.603)
Buffer Yard:	30 ft total adjacent to DD1, DD2, DD3, and DD4
	15 ft total adjacent to DD5, DD6, DD7, AD1, AD2, AD3, AD4, and Greenway
	Parking lots or accessory use adjacent to highways (160.488)
Buffer Reduction:	(<u>160.488</u>)
Signage:	50 sq ft for wall or freestanding not to exceed 6 ft in height (<u>160.570</u> et al.)
Parking:	1.5 spaces for 2 bedroom
	2 spaces for 3+ bedrooms
	0.75 spaces per unit for elderly (<u>160.550</u> et al.)
Landscaping:	90% of all required yard setbacks and buffer yards (<u>160.485</u> et al.)
Parking Lot Landscaping:	1 tree per 18 parking spaces (<u>160.485</u>)
Fence:	Up to 4 ft fence allowed in front yard and up to 8 ft fence in other yards (<u>160.480</u> et al.)
	Fences are in some cases required with buffer yards or outdoor screening
Lighting:	Within 150 ft of residential areas, lights shall be no more than 28 ft high (<u>160.491</u>)
Alternative Site Plans:	Allowed for buffer yard reduction, landscaping alternatives, and parking reduction (160.594 et al.)

Zoning Form: NF1—Neighborhood Facilities (160.200 et al.)

Allowed Zoning Districts (RS, RT-1, RT-2, RD-1, RD-2, MH, RA-1, RA-2, RA-3, RCD-PUD, O, S-1, S-2, LW, PO-PUD)

Permitted: Principal Use:


Neighborhood Park **Permitted Special:** Elementary Schools • Places of Worship Public Service Facilities • Recreational Facilities—Subdivision Accessory Use: Permitted Special:


Dwellings for Religious Orders (accessory to places of worship) Off-Site Parking

Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations

See	<u>160.505</u> et	al. "Additional Yard Regulations" for more info
Fro	nt Yard:	25 ft On corners, one front yard can be 20 f
Side	Yard:	10 ft
Rea	r Yard:	10 ft
Heig	ght:	35 ft or 2 stories
Size	Limit:	Comply with fire and building codes





Other Applicable Requ	lations (For complete information, see §§ 160.460 to 160.603)
	15 ft total adjacent to DD1, DD2, DD3, and DD4 (<u>160.488</u>)
Buffer Reduction:	5 ft reduction when parking adjacent (160.488)
Signage:	50 sq ft for wall or freestanding not to exceed 6 ft in height (<u>160.570</u> et al.)
Parking:	Places of Worship—1 space for each 4 persons in sanctuary
	Elementary School—10 spaces plus 1 space for each staff member (<u>160.550</u> et al.)
Landscaping:	90% of all required yard setbacks and buffer yards (<u>160.485</u> et al.)
Parking Lot Landscaping:	1 tree per 18 parking spaces (160.485)
Parking Lot Design:	Parking lot layout and dimensions approved per Engineering Design Standards
	Parking lots shall generally be hard surfaced
	Divide parking lots with more than 200 spaces
	Provide a direct and clearly defined pedestrian pathway from adjacent public sidewalk to building entrance (160.556)
Service Functions:	Screened or hidden from view (<u>160.485</u>)
Fence:	No more than 8 ft in height except in front yard (<u>160.480</u> et al.)
Lighting:	Within 150 ft of residential areas, lights shall be no more than 28 ft high (160.491)
Alternative Site Plans:	Allowed for buffer yard reduction, landscaping alternatives, and parking reduction (160.594 et al.)

Zoning Form: NF2—Neighborhood Residential Facilities (160.210 et al.)

Allowed Zoning Districts (RD-2, RT-2, RA-1, RA-2, RA-3, S-1, S-2, O, LW, PO-PUD)

Principal Use:

Permitted: Community Residential Home • Nursing Home **Assisted Living Center**

Accessory Use: Permitted Special:


Any building or use that's subordinate to any principal use Off-Site Parking

Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations

See <u>160.505</u> et al. "Additional Yard Regulations" for more info		
Front Yard:	25 ft On corners, one front yard can be 20 ft	
	15 ft with common open space through Alternative Site Plan	
Side Yard:	10 ft	
Rear Yard:	10 ft	

Height: 35 ft or 2 stories Size Limit: Comply with fire and building codes





Other Applicable Regu	lations (For complete information, see §§ 160.460 to 160.603)
Buffer Yard:	15 ft total adjacent (Level B) to DD1, DD2, DD3, and DD4
	10 ft total adjacent to DD5, DD6, DD7, AD1, AD2, AD3, AD4, and Greenway (160.488)
Buffer Reduction:	5 ft reduction when parking adjacent (for Level B buffer yards) (160.488)
Signage:	50 sq ft for wall or freestanding not to exceed 6 ft in height (<u>160.570</u> et al.)
Parking:	1 parking space for each employee or volunteer on the max shift plus 1 space for each bedroom (160.550 et al.)
Landscaping:	90% of all required yard setbacks and buffer yards (<u>160.485</u> et al.)
Parking Lot Landscaping:	1 tree per 18 parking spaces (<u>160.485</u>)
Parking Lot Design:	8.5 ft minimum stall width; 7.5 ft for compact cars
	Parking lot layout and dimensions approved per Engineering Design Standards
	Parking lots shall generally be hard surfaced
	Divide parking lots with more than 200 spaces
	Provide a direct and clearly defined pedestrian pathway from adjacent public sidewalk to building entrance (160.556)
Service Functions:	Screened or hidden from view (160.485)
Fence:	No more than 8 ft in height except in front yard (<u>160.480</u> et al.)
Lighting:	Within 150 ft of residential areas, lights shall be no more than 28 ft high (<u>160.491</u>)
Alternative Site Plans:	Allowed for buffer yard reduction, landscaping alternatives, and parking reduction (<u>160.594</u> et al.)

Zoning Form: BCF1—Business and Community Facilities—Small (160.220 et al.)

Allowed Zoning Districts (O, LW, I-1, S-1, S-2, PO-PUD)

Principal Use: Permitted Special:

Office • College, University, Post High School Elementary School • Dwellings Above the First Story Recreational Facility—Private • Middle/High School Day Care Center • Residential-Compatible Self-Storage Funeral Establishment • Mortuary • Cultural Facility Research Facility

Accessory Use: Permitted Special:

```
(<u>160.2</u>
```

Accessory Alcohol • Drive-through Service Window Accessory Living Unit • Off-Site Parking

Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations

See <u>160.224</u> for all bulk regulations

See <u>160.505</u> et al. "Additional Yard Regulations" for more info			
ft			
naximum of 2 stories and no more than 35 feet			
000 sq ft—1 story; 60,000 sq ft—2 stories			



15'

185'

BCF1

15'



Buffer Yard:	15 ft total adjacent (Level B) to DD1, DD2, DD3, and DD4
	10 ft total adjacent to DD5, DD6, DD7, AD1, AD2, AD3, AD4, Greenway, MD1, and MD2 (160.488)
Buffer Reduction:	5 ft reduction for Level B when parking adjacent (<u>160.488</u>)
Signage:	Building—1 sq ft/2 lineal ft of street or building frontage
	Freestanding—40 sq ft and 8 ft in height to 100 ft of frontage 60 sq ft above that (<u>160.570</u> et al.)
Parking:	1 space for each 300 sq ft of floor area except for schools (<u>160.550</u> et al.)
Landscaping:	90% of all required yard setbacks and buffer yards (<u>160.485</u> et al.)
Parking Lot Landscaping:	1 tree per 18 parking spaces (160.485)
Parking Lot Design:	8.5 ft minimum stall width; 7.5 ft for compact cars
	Parking lot layout and dimensions approved per Engineering Design Standards
	Parking lots shall generally be hard surfaced
	Divide parking lots with more than 200 spaces
	Provide a direct and clearly defined pedestrian pathway from adjacent public sidewalk to building entrance (160.556)
Service Functions:	Screened or hidden from view (<u>160.485</u>)
Fence:	No more than 8 ft in height except in front yard (<u>160.480</u> et al.)
Lighting:	Within 150 ft of residential areas, lights shall be no more than 28 ft high (<u>160.491</u>)

Zoning Form: BCF2—Business and Community Facilities—Community Service (160.230 et al.)

Allowed Zoning Districts (S-1, S-2, I-1, I-2)

Principal Use: Permitted:

- (<u>160.232</u>)
- Halfway House Temporary Emergency Shelter Human Services Facility • Detention Facility

2. An approved security management plan.

1. 1,000 ft to any K-8 school, park, day care, or residential area.

Accessory Use: Permitted Special: (160 233) Off-Site Parking


160.233) Off-Site Parking

Scroll to the top to find more information in the Zoning Interface.


Bulk Regulations

See <u>160.234</u> for all bulk regulations

See <u>160.505</u> et	al. "Additional Yard R
Front Yard:	15 ft
Side Yard:	0 ft
Rear Yard:	0 ft
Height:	45 ft and 3 stories
Size Limit:	Unlimited







Other Applicable Requ	lations (For complete information, see §§ 160.460 to 160.603)
	30 ft total adjacent to DD1, DD2, DD3, and DD4
	15 ft total adjacent to DD5, DD6, DD7, AD1, AD2, AD3, AD4, and Greenway
	10 ft total adjacent to MD1 and MD2 (<u>160.488</u>)
Buffer Reduction:	(<u>160.488</u>)
Signage:	Building—1 sq ft/2 lineal ft of street or building frontage
	Freestanding—40 sq ft and 8 ft in height to 100 ft of frontage 60 sq ft above that (160.570 et al.)
Parking:	1 space for each employee or volunteer on the max shift plus 1 space for each bedroom (<u>160.550</u> et al.)
Landscaping:	90% of all required yard setbacks and buffer yards (<u>160.485</u> et al.)
Parking Lot Landscaping:	1 tree per 18 parking spaces (<u>160.485</u>)
Parking Lot Design:	8.5 ft minimum stall width; 7.5 ft for compact cars
	Parking lot layout and dimensions approved per Engineering Design Standards
	Parking lots shall generally be hard surfaced
	Divide parking lots with more than 200 spaces
	Provide a direct and clearly defined pedestrian pathway from adjacent public sidewalk to building entrance (160.556)
Service Functions:	Screened or hidden from view (<u>160.485</u>)
Fence:	No more than 8 ft in height except in front yard (<u>160.480</u> et al.)
Lighting:	Within 150 ft of residential areas, lights shall be no more than 28 ft high (160.491)
Alternative Site Plans:	Allowed for buffer yard reduction, landscaping alternatives, and parking reduction (<u>160.594</u>)

Zoning Form: BCF3—Business and Community Facilities—Large (160.240 et al.)

Allowed Zoning Districts (S-1, S-2, LW, I-1, I-2)

Principal Use: Permitted:

Office • Hospital • Research Facility • Cultural Facility College, University, Post High School • Places of Worship Middle/High School, Elementary • Recreation Facility—Private Public Service Facility • Dwelling(s) Above the First Story **Permitted Special:** Public Assembly Facility • Day Care Center Funeral Establishment and Mortuary Residential-compatible Self-Storage • Hotel/Motel

Accessory Use: Permitted Special:

```
(<u>160.</u>
```

to

Heliport • Drive-through Service Window • Parking Ramps Accessory Alcohol • Off-Site Parking


Scroll to the top to find more information in the Zoning Interface.


Bulk Regulations

See <u>160.234</u> for all bulk regulations

See <u>160.505</u> et al. "Additional Yard Regulations" for more info

Front Yard:	20 ft 15 ft if provide open space with Alternative Site Plan (160.598)
Side Yard:	0 ft
Rear Yard:	0 ft
Height:	No limit except limit to 45 ft and 3 stories when adjacent to DD and AD forms
	1 additional ft of buffer for every 2 ft of height above 55 ft in height 20 ft additional setback max
Size Limit:	No limit





Other Applicable Regulations (For complete information, see §§ 160.460 to 160.603)

Buffer Yard:	45 ft total adjacent to DD1, DD2, DD3, and DD4
	30 ft total adjacent to DD5, DD6, DD7, AD1, AD2, AD3, AD4, and Greenway
	15 ft total adjacent to MD1 and MD2 (160.488)
Buffer Reduction:	(<u>160.488</u>)
Signage:	Building—1 sq ft/2 lineal ft of street or building frontage
	Freestanding—40 sq ft and 8 ft in height to 100 ft of frontage 60 sq ft above that (160.570 et al.)
Parking:	1 parking space for every 0.75 employee on the maximum shift except for hospitals, schools, and college/universities (160.550)
Landscaping:	90% of all required yard setbacks and buffer yards (<u>160.485</u> et al.)
Parking Lot Landscaping:	1 tree per 18 parking spaces (<u>160.485</u>)
Parking Lot Design:	Parking lot layout and dimensions approved per Engineering Design Standards
	Parking lots shall generally be hard surfaced
	Divide parking lots with more than 100 spaces
	Provide a direct and clearly defined pedestrian pathway from adjacent public sidewalk to building entrance (160.556)
Service Functions:	Screened or hidden from view (160.485)
Fence:	No more than 8 ft in height except in front yard (<u>160.480</u> et al.)
Lighting:	Within 150 ft of residential areas, lights shall be no more than 28 ft high (<u>160.491</u>)
Alternative Site Plans	Allowed for huffer vard reduction, landscaping alternatives, and parking reduction (160,594)

Zoning Form: BCF4—Business and Community Facilities—Open Space (160.250 et al.)

Allowed Zoning Districts (CN, REC)

Principal Use: Permitted: (160.252) Cultural Facility • Public Recreation Facility • Fairgrounds Permitted Special: Club House

Accessory Use: Permitted Special:


(160.253) Drive-through Service Window • Off-Site Parking

Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations

See <u>160.254</u> for all bulk regulations

See <u>160.505</u> e [.]	t al. "Additional Yard Regulations" for more in
Front Yard:	15 ft If on corner lot two front yard
Side Yard:	0 ft
Rear Yard:	0 ft
Height:	35 ft and 2 stories
Size Limit:	No limit





Other Applicable Regu	lations (For complete information, see §§ 160.460 to 160.603)
Buffer Yard:	45 ft total Type D when over 15,000 sq ft and 1 story; or over 30,000 sq ft and 2 stories
	30 ft total adjacent to DD1, DD2, DD3, and DD4
	15 ft total adjacent to DD5, DD6, DD7, AD1, AD2, AD3, AD4, and Greenway
	10 ft total adjacent to MD1 and MD2 (<u>160.488</u>)
Buffer Reduction:	(<u>160.488</u>)
Signage:	Building—1 sq ft/2 lineal ft of street or building frontage
	Freestanding—40 sq ft and 6 ft in height to 100 ft of frontage 60 sq ft above that (<u>160.570</u> et al.)
Parking:	1 parking space for every 300 sq ft of floor area (<u>160.550</u>)
Landscaping:	90% of all required yard setbacks and buffer yards (<u>160.485</u> et al.)
Parking Lot Landscaping:	1 tree per 18 parking spaces (<u>160.485</u>)
Parking Lot Design:	8.5 ft minimum stall width; 7.5 ft for compact cars
	Parking lot layout and dimensions approved per Engineering Design Standards
	Parking lots shall generally be hard surfaced
	Divide parking lots with more than 200 spaces
	Provide a direct and clearly defined pedestrian pathway from adjacent public sidewalk to building entrance (160.556)
Service Functions:	Screened or hidden from view (160.485)
Fence:	No more than 8 ft in height except in front yard (<u>160.480</u> et al.)
Lighting:	Within 150 ft of residential areas, lights shall be no more than 28 ft high (<u>160.491</u>)
Alternative Site Plans:	Allowed for buffer yard reduction, landscaping alternatives, and parking reduction (160.594)

Zoning Form: RE1—Limited Retail Employment (160.260 et al.)

		Allowed Zoning Dis	stricts (C-1, S-1	, S-2	-2, O, LW, I-2)
Principal Use: (<u>160.262</u>)	1. Hours limit and on we 2. Drive-thro		Accessory (160.263)		Permitted Special: Accessory Alcohol • Accessory Retail Warehouse or Processing Accessory Food Product Manufacturing Drive-through Service Window
Bulk Regula See 160.264 fo See 160.505 et Front Yard: Side Yard: Rear Yard: Height: Size Limit:	r all bulk regul al. "Additional 10 ft 0 ft 0 ft 25 ft and 2 st	Yard Regulations" for more info		Nei all ext pav adu	What is limited retail and services? Neighborhood Friendly and small in scale that includes all general retail and services except a day labor agency, exterminating shop, firearms dealer, memorial monuments, boawnshop, small engine repair, tattoo and body piercing parlor, idult use, tobacco shop, on-sale and off-sale alcohol, nightclub, notel, bus passenger terminals, and reception hall.
					DD1 - DD4
					DD1 - DD4 BUFFER YARD 15'
				REI	E1 BUILDABLE 180'
					•226'•
	Buffer Yard: er Reduction:	Ilations (For complete information, 15 ft total adjacent to DD1, DD2, DD3, and D 5 ft reduction when parking adjacent (<u>160.4</u>	DD4 . <u>88</u>)	<u>to 1</u> (
	Signage:	Building—1 sq ft/2 lineal ft of street or build Freestanding—40 sq ft and 8 ft in height to		sa ft -	$\frac{1}{1000}$
	Parking	1 parking space for every 300 sq ft of floor a		synta	
	-	90% of all required yard setbacks and buffer			
		1 tree per 18 parking spaces (<u>160.485</u>)			
-		8.5 ft minimum stall width; 7.5 ft for compace Parking lot layout and dimensions approved Parking lots shall generally be hard surfaced Divide parking lots with more than 200 space	d per Engineering De: I ces	-	n Standards nt public sidewalk to building entrance (<u>160.556</u>)
Servi	ice Functions:	Screened or hidden from view (<u>160.485</u>)			
		No more than 8 ft in height except in front y	vard (<u>160.480</u> et al.)		
	Lighting:	Within 150 ft of residential areas, lights shall	be no more than 28	ft higl	igh (<u>160.491</u>)
Alternat	ive Site Plans:	Allowed for buffer yard reduction, landscapi	ing alternatives, and p	parkin	king reduction (<u>160.594</u>)

Zoning Form: RE2—Streetcar Retail Employment (160.270 et al.)

Allowed Zoning Districts (C-2, S-2, PO-PUD)

Principal Use: **Permitted:**

General Retail and Services • Places of Worship • Office Public Service Facility • Recreation Facility—Private Cultural Facilities • Dwelling(s) Above the First Story **Permitted Special:**

Motor Vehicle Retail and Services • Full-Service, Restaurant On-Sale Alcoholic Beverage Establishment • Day Care Center Off-Sale Alcoholic Beverage Establishment • Kennel Funeral Establishment and Mortuary

Accessory Use: Permitted Special:

Accessory Alcohol • Off-Site Parking • Accessory Living Unit Drive-through Service Window

Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations

Front Yard: 10 ft *5 ft with standards below Side Yard: 0 ft 0 ft

Rear Yard:

Height: 35 ft and 2 stories

- Max Size: Building no more than 25,000 sq ft or 167 parking stalls
- *5 ft if recessed doors, 30% of facade is windows and same amount of landscaping (160.274)

*0 ft is possible with a streetcar alternative site plan (160.603)





	DD1 - DD4	_
	BUFFER YARD	30'
RE2	BUILDABLE	127' RE2
	200'	

Other Applicable Regu	lations (For complete information, see §§ 160.460 to 160.603)
Buffer Yard:	30 ft total adjacent to DD1, DD2, DD3, and DD4
	15 ft total adjacent to DD5, DD6, DD7, AD1, AD2, AD3, AD4, and Greenway
	10 ft total adjacent to MD1 and MD2 (<u>160.488</u>)
Buffer Reduction:	(<u>160.488</u>)
Signage:	Building—1 sq ft/2 lineal ft of street or building frontage
	Freestanding—40 sq ft and 8 ft in height to 100 ft of frontage 60 sq ft above that (<u>160.570</u> et al.)
Parking:	1 parking space for every 300 sq ft of floor area except for specified uses—restaurants, car wash, etc. (160.550)
Landscaping:	90% of all required yard setbacks and buffer yards (<u>160.485</u> et al.)
Parking Lot Landscaping:	1 tree per 18 parking spaces (160.485)
Parking Lot Design:	8.5 ft minimum stall width; 7.5 ft for compact cars
	Parking lot layout and dimensions approved per Engineering Design Standards
	Parking lots shall generally be hard surfaced
	Divide parking lots with more than 200 spaces
	Provide a direct and clearly defined pedestrian pathway from adjacent public sidewalk to building entrance (160.556)
Service Functions:	Screened or hidden from view (160.485)
Fence:	No more than 8 ft in height except in front yard (<u>160.480</u> et al.)
Lighting:	Within 150 ft of residential areas, lights shall be no more than 28 ft high (<u>160.491</u>)
Specific Standards—include	ed in RE2 form standards (<u>160.274</u>)
Orientation:	35% of building abutting front yard setback
Facade:	Front entrance or windows to street with articulation
Alternative Site Plans:	Allowed for buffer yard reduction, landscaping alternatives, parking reduction, and signage master plan (160.594)

Zoning Form: RE3—Parking-Oriented Retail Employment (160.280 et al.)

Allowed Zoning Districts (C-2, C3, C-4, S-2, I-1, PO-PUD) Principal Use: **Permitted:** Accessory Use: Permitted Special: General Retail and Services • Places of Worship • Office Accessory Alcohol • Off-Site Parking • Motor Vehicle Display Public Service Facility • Recreation Facility—Private Drive-through Service Window • Accessory Living Unit Cultural Facilities • Dwelling(s) Above the First Story Accessory Outdoor • Retail Sales • Accessory Outdoor Storage **Permitted Special:** Motor Vehicle Retail and Services • Full-Service, Restaurant On-Sale Alcoholic Beverage Establishment • Day Care Center Off-Sale Alcoholic Beverage Establishment • Kennel Funeral Establishment and Mortuary • Self-Storage Facility Adult Use Scroll to the top to find more information in the Zoning Interface. **Bulk Regulations** See <u>160.284</u> for all bulk regulations Front Yard: 10 ft Side Yard: 0 ft Rear Yard: 0 ft Height: 35 ft and 2 stories Max Size: Building no more than 25,000 sq ft or 167 parking stalls Lot Width: N/A



Other Applicable Regu	lations (For complete information, see §§ 160.460 to 160.603)
Buffer Yard:	30 ft total adjacent to DD1, DD2, DD3, and DD4
	15 ft total adjacent to DD5, DD6, DD7, AD1, AD2, AD3, AD4, and Greenway
	10 ft total adjacent to MD1 and MD2 (160.488)
Buffer Reduction:	(<u>160.488</u>)
Signage:	Building—1 sq ft/2 lineal ft of street or building frontage
	Freestanding—40 sq ft and 8 ft in height to 100 ft of frontage 60 sq ft above that (<u>160.570</u> et al.)
Parking:	1 parking space for every 300 sq ft of floor area except for specified uses—restaurants, car wash, etc. (160.550)
Landscaping:	90% of all required yard setbacks and buffer yards (<u>160.485</u> et al.)
Parking Lot Landscaping:	1 tree per 18 parking spaces (<u>160.485</u>)
Parking Lot Design:	8.5 ft minimum stall width; 7.5 ft for compact cars
	Parking lot layout and dimensions approved per Engineering Design Standards
	Parking lots shall generally be hard surfaced
	Divide parking lots with more than 200 spaces
	Provide a direct and clearly defined pedestrian pathway from adjacent public sidewalk to building entrance (160.556)
Service Functions:	Screened or hidden from view (160.485)
Fence:	No more than 8 ft in height except in front yard (<u>160.480</u> et al.)
Lighting:	Within 150 ft of residential areas, lights shall be no more than 28 ft high (<u>160.491</u>)
Alternative Site Plans:	Allowed for buffer yard reduction, landscaping alternatives, parking reduction, and signage master plan (160.594)

Zoning Form: RE4—Community Retail Employment (160.290 et al.)

Allowed Zoning Districts (C-3, C-4, PO-PUD)

Principal Use: **Permitted:**

General Retail and Services • Places of Worship • Office Public Service Facility • Recreation Facility—Private Cultural Facilities • Dwelling(s) Above the First Story **Permitted Special:** Motor Vehicle Retail and Services • Full-Service Restaurant On-Sale Alcoholic Beverage Establishment • Day Care Center Off-Sale Alcoholic Beverage Establishment • Adult Use

Accessory Use: Permitted Special:

Accessory Alcohol • Off-Site Parking • Outdoor Retail Sales Motor Vehicle Display and Sales • Parking Ramps Drive-through Service Window • Outdoor Storage

Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations

See <u>160.505</u> e	t al. "Additional Yard Regulations" for more info
Front Yard:	15 ft
Side Yard:	0 ft
Rear Yard:	0 ft
Height:	60 ft and 4 stories except 45 ft except 3 stories adjacent to DD and AD forms
Max Size:	Building less than 75,000 sq ft or no more than 250 parking stalls
Lot Width:	N/A

Funeral Establishment and Mortuary • Self-Storage Facility





	BUILDABLE	358' RE4
•		•

	Ilations (For complete information, see §§ 160.460 to 160.603) 45 ft total adjacent to DD1, DD2, DD3, and DD4
builer lata.	30 ft total adjacent to DD5, DD6, DD7, AD1, AD2, AD3, AD4, and Greenway
	15 ft total adjacent to MD1 and MD2 (160.488)
Buffer Reduction:	
Signage:	Building—1 sq ft/2 lineal ft of street or building frontage
55	Freestanding—40 sq ft and 8 ft in height to 100 ft of frontage 60 sq ft above that (<u>160.570</u> et al.)
Parking:	1 parking space for every 300 sq ft of floor area except for specified uses—restaurants, car wash, etc. (160.550)
Landscaping:	90% of all required yard setbacks and buffer yards (<u>160.485</u> et al.)
Parking Lot Landscaping:	1 tree per 18 parking spaces (<u>160.485</u>)
Parking Lot Design:	8.5 ft minimum stall width; 7.5 ft for compact cars
	Parking lot layout and dimensions approved per Engineering Design Standards
	Parking lots shall generally be hard surfaced
	Divide parking lots with more than 100 spaces
	Provide a direct and clearly defined pedestrian pathway from adjacent public sidewalk to building entrance (160.556)
Service Functions:	Screened or hidden from view (<u>160.485</u>)
Fence:	No more than 8 ft in height except in front yard (<u>160.480</u> et al.)
Lighting:	Within 150 ft of residential areas, lights shall be no more than 28 ft high (<u>160.491</u>)
Alternative Site Plans:	Allowed for buffer yard reduction, landscaping alternatives, parking reduction, and signage master plan (160.594)

Zoning Form: RE5—Regional Retail Employment (160.300 et al.)

Allowed Zoning Districts (C-4)

Principal Use: **Permitted:**

General Retail and Services • Places of Worship • Office • Public Service Facility • Recreation Facility—Private Cultural Facilities • Dwelling(s) Above the First Story **Permitted Special:** Motor Vehicle Retail and Services • Full-Service Restaurant

On-Sale Alcoholic Beverage Establishment • Day Care Center Off-Sale Alcoholic Beverage Establishment • Adult Use Funeral Establishment and Mortuary • Self-Storage Facility

Accessory Use: Permitted Special:

Accessory Alcohol • Off-Site Parking • Outdoor Retail Sales Motor Vehicle Display and Sales • Parking Ramps Drive-through Service Window • Outdoor Storage

Scroll to the top to find more information in the Zoning Interface.


Bulk Regulations

See 160.505 et al. "Additional Yard Regulations" for more info

Front Yard:	15 ft
Side Yard:	0 ft
Rear Yard:	0 ft
Height:	No limit exce
Lot Width:	NI/A

ept 45 ft and 3 stories when adjacent to DD and AD forms Lot width: N/A

LIL



Buffer Yard:	45 ft total adjacent to DD1, DD2, DD3, and DD4
	30 ft total adjacent to DD5, DD6, DD7, AD1, AD2, AD3, AD4, and Greenway
	15 ft total adjacent to MD1 and MD2 (160.488)
Buffer Reduction:	(<u>160.488</u>)
Signage:	Building—1 sq ft/1 lineal ft of street frontage or 2 sq ft/1 lineal ft of building frontage
	Freestanding—40 sq ft and 8 ft in height to 100 ft of frontage 60 sq ft above that (<u>160.570</u> et al.)
Parking:	1 parking space for every 400 sq ft of floor area except for specified uses—restaurants, car wash, etc. (160.550)
Landscaping:	90% of all required yard setbacks and buffer yards (<u>160.485</u> et al.)
Parking Lot Landscaping:	1 tree per 18 parking spaces (<u>160.485</u>)
Parking Lot Design:	8.5 ft minimum stall width; 7.5 ft for compact cars
	Parking lot layout and dimensions approved per Engineering Design Standards
	Parking lots shall generally be hard surfaced
	Divide parking lots with more than 100 spaces
	Provide a direct and clearly defined pedestrian pathway from adjacent public sidewalk to building entrance (160.556)
Service Functions:	Screened or hidden from view (<u>160.485</u>)
Fence:	No more than 8 ft in height except in front yard (<u>160.480</u> et al.)
Lighting:	Within 150 ft of residential areas, lights shall be no more than 28 ft high (<u>160.491</u>)
Alternative Site Plans:	Allowed for buffer yard reduction, landscaping alternatives, parking reduction, and signage master plan (160.594)

Zoning Form: RE6—Village Mixed-Use (160.310 et al.)

Allowed Zoning Districts (Village PUD, Downtown PUD)

Principal Use: Permitted:

General Retail and Services • Places of Worship • Office
 Public Service Facility • Recreation Facility—Private
 Cultural Facilities • College or Post High School
 Dwelling(s) Above the First Story
 Permitted Special:
 On-Sale Alcoholic Beverage Establishment • Live-Work units
 Off-Sale Alcoholic Beverage Establishment • Day Care Center
 Full-Service Restaurant • Funeral Establishment and Mortuary
 Commercial Parking Lot • Adult Use
 Conditional Use:

Assisted Living Including First Floor • Human Service Facility Dwelling—Multiple Family including First Floor Temporary or Emergency Shelter

Bulk Regulations

Unlimited Unlimited

N/A

Height:

Max Size: Lot Width:

See <u>160.505</u> et al. "Additional Yard Regulations" for more info Setbacks may be consistent with existing building footprint or adjacent building's footprint Front Yard: 0 ft Rear Yard: 0 ft

DE HOFS

ilding's

Accessory Use: Permitted Special:

Accessory Living Unit

■

Downtown and any Village PUD should construct master plans based on:

See Chapter 5-Section G of Shape Sioux Falls. For Downtown PUD, see PUD standards in 160.449. For Village Mixed Use PUD, see PUD standards in 160.450.

Other Applicable Regu	lations (For complete information, see §§ 160.460 to 160.603)
Signage:	Building—3 sq ft/1 lineal ft of street frontage
	Roof—32 sq ft no higher than 5 ft; no freestanding allowed (160.570 et al.)
Parking:	Based on initial development plan and PUD standards
	Public parking areas may be counted toward standards (160.550)
Landscaping:	Create at least one active and strategically located open space (160.485 et al.)
Parking Lot Landscaping:	1 tree per 18 parking spaces (160.485)
Parking Lot Design:	8.5 ft minimum stall width; 7.5 ft for compact cars
	Parking lot layout and dimensions approved per Engineering Design Standards
	Parking lots shall generally be hard surfaced
	Parking lots located to the side or rear of buildings (160.556)
Pedestrians:	Entrances need to be directly accessible without interruption from adjacent sidewalks or pathways (Chapter 5 Shape SF)
Service Functions:	Screened or hidden from view (160.485)
Fence:	No more than 8 ft in height except in front yard (<u>160.480</u> et al.)
Lighting:	Within 150 ft of residential areas, lights shall be no more than 28 ft high (<u>160.491</u>)


G125002.indd



Scroll to the top to find more information in the Zoning Interface.

Accessory Alcohol • Off-Site Parking • Outdoor Retail Sales

Drive-through Service Window • Parking Ramps



Zoning Form: WM1—Warehouse and Manufacturing—Light (160.320 et al.)

Allowed Zoning Districts (I-1, I-2)

Principal Use: Permitted Special:

Light Manufacturing—Processing and Assembly, Light Warehouse and Freight Movement • Crematory • Campground

Light Warehouse and Freight Movement is:

Uses generally have storage contained within a building and/or are not obnoxious with dust and noise such as: Recycling Collection, Contractors Shop, Wholesale Trade, Warehouse, Farm Implement Sales and Service, Semi-Truck Sales and Service, Bus and Truck Washes

Accessory Use: Permitted Special:

(<u>160.323</u>) Heliport • Off-Site Parking

Light Manufacturing Process and Assembly is:

Uses generally have all aspects of their process carried on within the building.


Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations


See <u>160.324</u> for all bulk regulations

See 160.505 et al. "Additional Yard Regulations" for more info

Front Yard:	25 ft
Side Yard:	0 ft
Rear Yard:	0 ft
Height:	45 ft for I-1 55 ft for I-2
Max Size:	No limit
Lot Width:	N/A







Other Applicable Requ	lations (For complete information, see §§ 160.460 to 160.603)
	30 ft total adjacent to DD1, DD2, DD3, and DD4
	30 ft total adjacent to DD5, DD6, DD7, AD1, AD2, AD3, AD4, and Greenway
	15 ft total adjacent to MD1 and MD2 (<u>160.488</u>)
Buffer Reduction:	(<u>160.488</u>)
Signage:	Wall—1 sq ft/3 lineal ft of street frontage and 1 sq ft/4 ft for 2nd front
	Freestanding—37 sq ft and 18 ft in height to 100 ft of frontage (<u>160.570</u> et al.)
Parking:	Warehouse and Freight Movement—1 per 1,500 sq ft of GFA
	Manuf., Process, and Assembly—1 per 1,500 sq ft of GFA or 0.75 for each employee on max. shift, whichever is greater (160.550)
Landscaping:	90% of required front yard setback (<u>160.485</u> et al.)
Parking Lot Landscaping:	1 tree per 18 parking spaces (160.485)
Parking Lot Design:	8.5 ft minimum stall width; 7.5 ft for compact cars
	Parking lot layout and dimensions approved per Engineering Design Standards
	Parking lots shall generally be hard surfaced
	Divide parking lots with more than 100 spaces
	Provide a direct and clearly defined pedestrian pathway from adjacent public sidewalk to building entrance (160.556)
Service Functions:	Screened or hidden from view (<u>160.485</u>)
Fence:	No more than 8 ft in height except in front yard (<u>160.480</u> et al.)
Lighting:	Within 150 ft of residential areas, lights shall be no more than 28 ft high (160.491)
Alternative Site Plans:	Allowed for buffer yard reduction, landscaping alternatives, parking reduction, and signage master plan (160.594)

Zoning Form: WM2—Warehouse and Manufacturing—Heavy (160.330 et al.)

Allowed Zoning Districts (I-2)

Principal Use: Permitted Special:

Heaving Manufacturing—Processing and Assembly, Heavy Warehouse and Freight Movement

Heavy Manufacturing Processing and Assembly Includes:

Some aspects of process may be carried on outside or include some of these uses: Fruit and vegetable canning, Stockyard slaughter of animals, Grain processing, Asphalt concrete plant, Ready-mix concrete plant, Regulated medical waste facility

Accessory Use: Permitted Special:

(160.333) Heliport • Off-Site Parking

Heavy Warehouse and Freight Movement Includes:

Those uses that require additional mitigation due to dust and noise such as: Salvage operation, Solid waste transfer, Grain terminal, Junk yard, Tank farm, Truck terminal

Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations

Height:

Max Size:

Lot Width:


See <u>160.334</u> for all bulk regulations


See <u>160.505</u>	et al. "Additional	Yard	ке
Front Yard:	25 ft		
Side Yard:	0 ft		
Rear Yard:	0 ft		

55 ft

N/A

No limit





Other Applicable Requ	lations (For complete information, see §§ 160.460 to 160.603)
	45 ft total adjacent to DD1, DD2, DD3, and DD4
	45 ft total adjacent to DD5, DD6, DD7, AD1, AD2, AD3, AD4, and Greenway
	30 ft total adjacent to MD1 and MD2 (160.488)
Buffer Reduction:	(<u>160.488</u>)
Signage:	Wall—1 sq ft/3 lineal ft of street frontage and 1 sq ft/4 ft for 2nd front
	Freestanding—37 sq ft and 18 ft in height to 100 ft of frontage above that (<u>160.570</u> et al.)
Parking:	Warehouse and Freight Movement—1 per 1,500 sq ft of GFA
	Manuf., Process, and Assembly—1 per 1,500 sq ft of GFA or 0.75 for each employee on max. shift, whichever is greater (160.550)
Landscaping:	90% of required front yard setback (<u>160.485</u> et al.)
Parking Lot Landscaping:	1 tree per 18 parking spaces (160.485)
Parking Lot Design:	8.5 ft minimum stall width; 7.5 ft for compact cars
	Parking lot layout and dimensions approved per Engineering Design Standards
	Parking lots shall generally be hard surfaced
	Divide parking lots with more than 100 spaces
	Provide a direct and clearly defined pedestrian pathway from adjacent public sidewalk to building entrance (160.556)
Service Functions:	Screened or hidden from view (<u>160.485</u>)
Fence:	No more than 8 ft in height except in front yard (<u>160.480</u> et al.)
Lighting:	Within 150 ft of residential areas, lights shall be no more than 28 ft high (160.491)
Alternative Site Plans:	Allowed for buffer yard reduction, landscaping alternatives, parking reduction, and signage master plan (160.594)

Zoning Form: WM3—Warehouse and Manufacturing—Mining and Waste (160.340 et al.)

Allowed Zoning Districts (AG, I-2)

Accessory Use:

60.343) Any building or use that's subordinate to any principal use.

Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations

See <u>160.344</u> for all bulk regulations


Principal Use: Conditional Use:

Sanitary Landfill

Water and Wastewater Treatment Plant Quarry, Mining, and Mineral Exploration

See 160.505 et al. "Additional Yard Regulations" for more info

Front Yard:	25 ft
Side Yard:	0 ft
Rear Yard:	0 ft
Height:	55 ft
Bulk:	No limit
Lot Width:	N/A





Buffer Yard:	45 ft total adjacent to DD1, DD2, DD3, and DD4
	45 ft total adjacent to DD5, DD6, DD7, AD1, AD2, AD3, AD4, and Greenway
	30 ft total adjacent to MD1 and MD2 (160.488)
Buffer Reduction:	10 ft reduction when parking adjacent (<u>160.488</u>)
Signage:	Building—1 sq ft/2 lineal ft of building frontage
	Freestanding—40 sq ft and 6 ft in height to 100 ft of frontage 60 sq ft above that (<u>160.570</u> et al.)
Parking:	1 per 1,500 sq ft of GFA (<u>160.550</u>)
Landscaping:	90% of required front yard setback (<u>160.485</u> et al.)
arking Lot Landscaping:	1 tree per 18 parking spaces (<u>160.485</u>)
Parking Lot Design:	8.5 ft minimum stall width; 7.5 ft for compact cars
	Parking lot layout and dimensions approved per Engineering Design Standards
	Parking lots shall generally be hard surfaced
	Divide parking lots with more than 100 spaces
	Provide a direct and clearly defined pedestrian pathway from adjacent public sidewalk to building entrance (160.556)
Service Functions:	Screened or hidden from view (160.485)
Fence:	No more than 8 ft in height except in front yard (<u>160.480</u> et al.)
Lighting:	Within 150 ft of residential areas, lights shall be no more than 28 ft high (<u>160.491</u>)
Alternative Site Plans:	Allowed for buffer yard reduction, landscaping alternatives, parking reduction, and signage master plan (160.594)

Zoning Form: WM4—Airport Facilities (160.350 et al.)

Allowed Zoning Districts (AP)

Accessory Use:

Any building or use that's subordinate to any principal use.

Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations

Principal Use:

All based upon	Airport Authority Master Plan revie
Front Yard:	N/A
Side Yard:	N/A
Rear Yard:	N/A
Height:	N/A
Bulk:	No limit
Lot Width:	N/A

Permitted:

Airport Facilities • Air Passenger Terminal

ew

Air National Guard Facilities



Other Applicable Regulations (For complete information, see §§ 160.460 to 160.603)

 Buffer Yard:
 N/A—based on airport master plan

 Signage:
 N/A—based on airport master plan

 Parking:
 N/A—based on airport master plan

 Landscaping:
 N/A—based on airport master plan

 Parking Lot Landscaping:
 N/A—based on airport master plan

 Service Functions:
 N/A—based on airport master plan

 Fence:
 N/A—based on airport master plan

Zoning Form: OPEN1—Conservation Open Space (160.360 et al.)

Allowed Zoning Districts (CN)

Principal Use: Permitted: Tree Farm/

Tree Farm/Wholesale Nurseries • Golf Course Cemeteries • Nature Preserve • Natural Drainage Facilities **Permitted Special:** Pet Cemetery

Accessory Use: Permitted Special:

```
<u>160.363</u>)
```

Crematory and Funeral Establishment (Accessory to a Cemetery) Off-Site Parking


Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations

See <u>160.364</u> for all bulk regulations

See 160.505 et al	. "Additional	Yard Redu	lations" for	more info

Front Yard:	15 ft
Side Yard:	15 ft
Rear Yard:	15 ft
Height:	45 ft
Bulk:	No limit
Lot Width:	N/A





Other Applicable Regu	lations (For complete information, see §§ 160.460 to 160.603)
Buffer Yard:	None
Signage:	Building—1 sq ft/2 lineal ft of building frontage
	Freestanding—40 sq ft and 6 ft in height to 100 ft of frontage 60 sq ft above that (<u>160.570</u> et al.)
Parking:	1 space for each 300 sq ft of floor area (160.550)
Landscaping:	90% of required front yard setback (<u>160.485</u> et al.)
Parking Lot Landscaping:	1 tree per 18 parking spaces (160.485)
Parking Lot Design:	8.5 ft minimum stall width; 7.5 ft for compact cars
	Parking lot layout and dimensions approved per Engineering Design Standards
	Parking lots shall generally be hard surfaced
	Divide parking lots with more than 100 spaces
	Provide a direct and clearly defined pedestrian pathway from adjacent public sidewalk to building entrance (160.556)
Service Functions:	Screened or hidden from view (160.485)
Fence:	No more than 8 ft in height except in front yard (<u>160.480</u> et al.)
Lighting:	Within 150 ft of residential areas, lights shall be no more than 28 ft high (160.491)
Alternative Site Plans:	Allowed for buffer yard reduction, landscaping alternatives, parking reduction, and signage master plan (160.594)

Zoning Form: OPEN2—Recreation Open Space (160.370 et al.)

Allowed Zoning Districts (REC)

Accessory Use: Permitted Special:

Accessory Alcohol

Principal Use: Permitted: (160 372) Public Parks • Cultural Facilities • Golf Course

(160.372) Public Parks • Cultural Facilit Recreation Facility—Public

Conditional Use:

- Archery Range
- 1. Noise from such operation shall not have a detrimental effect on adjacent properties
- 2. Ensure safety through limited public access provisions


Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations

See <u>160.374</u> for all bulk regulations

See 160.505 et al. "Additional Yard Regulations" for more info

Front Yard:	15 ft
Side Yard:	15 ft
Rear Yard:	15 ft
Height:	45 ft
Bulk:	No limit
Lot Width:	N/A





Other Applicable Regulations (For complete information, see §§ 160.460 to 160.603)

Buffer Yard:	None
Signage:	Building—1 sq ft/2 lineal ft of building frontage
	Freestanding—40 sq ft and 6 ft in height to 100 ft of frontage 60 sq ft above that (160.570 et al.)
Parking:	1 space for each 300 sq ft of floor area (160.550)
Landscaping:	90% of required front yard setback (<u>160.485</u> et al.)
Parking Lot Landscaping:	1 tree per 18 parking spaces (<u>160.485</u>)
Parking Lot Design:	8.5 ft minimum stall width; 7.5 ft for compact cars
	Parking lot layout and dimensions approved per 15.55.070
	Parking lots shall generally be hard surfaced
	Divide parking lots with more than 100 spaces
	Provide a direct and clearly defined pedestrian pathway from adjacent public sidewalk to building entrance (160.556)
Service Functions:	Screened or hidden from view (160.485)
Fence:	No more than 8 ft in height except in front yard (<u>160.480</u> et al.)
Lighting:	Within 150 ft of residential areas, lights shall be no more than 28 ft high (<u>160.491</u>)
Alternative Site Plans:	Allowed for buffer yard reduction, landscaping alternatives, parking reduction, and signage master plan (160.594)
Alternative Site Plans:	Allowed for buffer yard reduction, landscaping alternatives, parking reduction, signage master plan, and size bonus for LEED certification (160.594)

Zoning Form: OPEN3—Agriculture Open Space (160.380)

Allowed Zoning Districts (AG)

Accessory Use:

60.383) Any building or use that's subordinate to any principal use

Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations

Principal Use:


See <u>160.384</u> for all bulk regulations


Permitted:

Agriculture **Permitted Special:** Detached dwelling farm

See 160.505 et al. "Additional Yard Regulations" for more info

Front Yard:	30 ft
Side Yard:	25 ft
Rear Yard:	30 ft
Height:	45 ft
Lot Width:	N/A
Lot Density:	1 acre





Other Applicable Regulations (For complete information, see §§ 160.460 to 160.603)

Duller faru.	None
Signage:	Building—1 sq ft/2 lineal ft of building frontage
	Freestanding—40 sq ft and 6 ft in height to 100 ft of frontage 60 sq ft above that (<u>160.570</u> et al.)
Parking:	1 space for each 300 sq ft of floor area (160.550)
Landscaping:	90% of required front yard setback (<u>160.485</u> et al.)
Parking Lot Landscaping:	1 tree per 18 parking spaces (160.485)
Parking Lot Design:	8.5 ft minimum stall width; 7.5 ft for compact cars
	Parking lot layout and dimensions approved per Engineering Design Standards
	Parking lots shall generally be hard surfaced
	Divide parking lots with more than 100 spaces
	Provide a direct and clearly defined pedestrian pathway from adjacent public sidewalk to building entrance (160.556)
Service Functions:	Screened or hidden from view (160.485)
Fence:	No more than 8 ft in height except in front yard (<u>160.480</u> et al.)
Lighting:	Within 150 ft of residential areas, lights shall be no more than 28 ft high (160.491)
Alternative Site Plans:	Allowed for buffer yard reduction, landscaping alternatives, parking reduction, and signage master plan (160.594)

Zoning Form: UT1—Basic Utilities (160.390 et al.)

Allowed Zoning Districts (All Districts except RHP)

Principal Use:

Permitted: Neighborhood Utilities • Electrical Substation Permitted Special: Community Garden • Antenna Support Structure

Accessory Use:

60.393) Any building or use that's subordinate to any principal use

Scroll to the top to find more information in the Zoning Interface.

Bulk Regulations

See 160.394 for all bulk regulations

See 160.505 et al. "Additional Yard Regulations" for more info

Front Yard:	25 ft
Side Yard:	5 ft
Rear Yard:	5 ft
Height:	45 ft
Lot Width:	N/A



Other Applicable Regu	lations (For complete information, see §§ 160.460 to 160.603)
Buffer Yard:	30 ft total adjacent to DD1, DD2, DD3, and DD4
	15 ft total adjacent to DD5, DD6, DD7, AD1, AD2, AD3, AD4, and Greenway
	10 ft total adjacent to MD1 and MD2 (160.488)
Buffer Reduction:	10 ft reduction when parking adjacent (<u>160.488</u>)
Signage:	Building—1 sq ft/2 lineal ft of building frontage
	Freestanding—40 sq ft and 6 ft in height to 100 ft of frontage 60 sq ft above that (<u>160.570</u> et al.)
Parking:	1 space per 1,500 per sq ft of floor area (<u>160.550</u>)
Landscaping:	90% of required front yard setback (<u>160.485</u> et al.)
Parking Lot Landscaping:	1 tree per 18 parking spaces (160.485)
Parking Lot Design:	8.5 ft minimum stall width; 7.5 ft for compact cars
	Parking lot layout and dimensions approved per Engineering Design Standards
	Parking lots shall generally be hard surfaced
	Divide parking lots with more than 100 spaces
	Provide a direct and clearly defined pedestrian pathway from adjacent public sidewalk to building entrance (160.556)
Service Functions:	Screened or hidden from view (160.485)
Fence:	No more than 8 ft in height except in front yard (<u>160.480</u> et al.)
Lighting:	Within 150 ft of residential areas, lights shall be no more than 28 ft high (<u>160.491</u>)
Alternative Site Plans:	Allowed for buffer yard reduction, landscaping alternatives, parking reduction, signage master plan, and size bonus for LEED certification (<u>160.594</u>)

Zoning Form: UT2—Tower Utilities (160.400 et al.)

Allowed Zoning Districts (All Districts except RS, RT-1, RD-1, RD-2, RT-2, MH, RCD, RHP, and AP)

Principal Use: Permitted:

Water Towers **Permitted Special:** Telecommunications Tower

Accessory Use:

60.403) Any building or use that's subordinate to any principal use

Conditional Use:

Broadcast Tower • Wind Energy Conversion System

Scroll to the top to find more information in the Zoning Interface.


Bulk Regulations


See 160.404 for all bulk regulations

See 160.505 et al. "Additional Yard Regulations" for more info

- Front Yard: 25 ft
- Side Yard: 5 ft
- Rear Yard: 5 ft

Height: Dependent on fall-down distance and FAA Standards





Other Applicable Regulations (For complete information, see §§ 160.460 to 160.603)

Duller faru:	so it total adjacent to DD1, DD2, DD5, and DD4
	15 ft total adjacent to DD5, DD6, DD7, AD1, AD2, AD3, AD4, and Greenway
	10 ft total adjacent to MD1 and MD2 (160.488)
Buffer Reduction:	10 ft reduction when parking adjacent (160.488)
Signage:	Building—1 sq ft/2 lineal ft of building frontage
	Freestanding—40 sq ft and 6 ft in height to 100 ft of frontage 60 sq ft above that (<u>160.570</u> et al.)
Parking:	1 space per 1,500 per sq ft of floor area (160.550)
Landscaping:	90% of required front yard setback (<u>160.485</u> et al.)
Parking Lot Landscaping:	1 tree per 18 parking spaces (<u>160.485</u>)
Parking Lot Design:	8.5 ft minimum stall width; 7.5 ft for compact cars
	Parking lot layout and dimensions approved per Engineering Design Standards
	Parking lots shall generally be hard surfaced
	Divide parking lots with more than 100 spaces
	Provide a direct and clearly defined pedestrian pathway from adjacent public sidewalk to building entrance (160.556)
Service Functions:	Screened or hidden from view (160.485)
Fence:	No more than 8 ft in height except in front yard (<u>160.480</u> et al.)
Lighting:	Within 150 ft of residential areas, lights shall be no more than 28 ft high (<u>160.491</u>)
Alternative Site Plans:	Allowed for buffer yard reduction, landscaping alternatives, parking reduction, and signage master plan (160.594)